



Hunt 26 CC (2017)

Standard Equipment List

Specifications

LOA	25' 0"
Beam	9' 0"
Draft (hull/prop)	1' 6"/3' 0"
Displacement	6,600 lbs.
Fuel Capacity	85 U.S. Gallons (Gas) / 100 U.S. Gallons (Diesel & Outboard)
Water Capacity	15 U.S. Gallons
Top Speed (std pwr)	33 kts.

Hull

Solid E-glass bottom laminate
 Foam-cored topsides
 Vinylester osmosis barrier
 Foam-cored E-glass stringers & bulkheads
 Painted bilge
 Custom louvered vents painted to match hull
 Extruded vinyl sheer guard
 Molded interior liner
 Oyster white gel coat hull
 Single boot stripe in choice of color

Deck

Deck	E-glass fabric with foam-cored laminate & molded non-skid pattern Oyster white gel coat finish
Swim platform	Teak with S.S. swim ladder
Anchor locker	Molded into foredeck with hinged hatch
Forward rail	Custom handrail
Chocks	(2) S.S. bow chocks
Cleats	(4) pull-up S.S. 8" cleats & (1) 10" bow cleat
Ensign	Custom teak staff (varnished) with US flag & S.S. socket
Burgee	Varnished teak burgee staff on bow with Hunt Burgee
Lights	LED USCG-approved running lights
Fender pad eyes	(4) Wichard pad eyes (2) port & (2) starboard
Fills	S.S. water, fuel & waste
Rod holders	(4) S.S.
Stern eyes	(2) S.S.
Drink holders	(8) - (2) forward console, (2) aft console, (2) on engine box & (2) horseshoe settee fwd
Foam	High density foam core in way of high load hardware

Console

Windshield	Custom & contoured
Seating	Seat with cushion forward, and insulated 24-gal. fish well
Head	Lockable standup with fresh water sink, electric saltwater head with Y-valve and holding tank, storage, 6' headroom
Helm	Fiberglass control console with varnished teak shelf, handholds & trim; custom wood steering wheel; custom teak engine-instrument cluster and S.S. drink holder with stamoid cover
Compass	Ritchie (calibration included)
Electrical outlet	(1) 12V outlet at helm
Footrest	Built-in
Switch panel	Circuit-breaker switch panel
Gauges	Custom
Ventilation	Portlight in console
Glove box	Teak face glove box

Cockpit

Seating	Forward horseshoe cushion with cover, dual helm seat with adjustable bolster and surrounding stainless steel handrail. Aft-facing engine-box seat with stainless steel handrail.
Covers	Stamoid covers for engine box with helm and companion seat, helm console, bow horseshoe seating and stern seat
Cushions	Hand-stitched, Majilite with choice of contrasting piping
Drainage	Self-bailing cockpit with guttered hatches
Water	Freshwater shower & sink on transom
Rod storage	(2) under-gunwale rod racks & lockable rod locker in stbd bow seat
Lighting	(2) LED courtesy bridge deck lights, and LED strip lighting under coaming in cockpit
Transom door	Stbd side
Live well	In transom 21-gal
Cooler	Insulated 24-qt, forward of console, under seat with overboard drainage
Fishbox	Insulated 32-gal. in port bow locker

Mechanical & Electrical

Engine	Volvo Penta EVC 5.3L (300 hp) gas with jackshaft / OceanX sterndrive, fresh-water cooled; Volvo Penta 2-year warranty Automatic fire extinguisher system in engine compartment (gas engine only) Engine data to interface with chartplotter
Propellers	(2) counter-rotating S.S. 3-bladed props
Steering	Hydraulic
Sound reduction	Composite sound-reduction insulation 2"
Cooling	Raw-water sea strainer, seacock with thru-hull intake
Fuel	(2) 42-gallon tanks (gas); (2) 50-gallon tanks (diesel); (1) 100-gallon tank (gas)
Water	(1) 15-gallon tank
Waste	(1) 9-gallon tank
Bilge pumps	(1) 1,100 GPH aft (automatic) & (1) 2000 GPH forward (automatic), high-water bilge alarm
Batteries	(2) 12-volt marine grade AGM, 10-amp battery charger and in-console rotary switch
VHF radio	ICOM M324 DSC
Electrical outlet	(1) 12V outlet at helm
Horn	AFI flush-mount 12-volt air horn

Commissioning Package

Bottom paint	(2) coats ablative paint, hand-painted outdrive
Name & hailport	Vinyl letters in any color & style
Anchor	14 lb. Delta with 15' x ¼" chain, 200' x ½" rode, Stainless steel
Boat gear	(4) 25' x ½" braided docklines; (3) fenders 6" x 15", (2) fender hooks to (2) fenders, Polartec covers & 3/8" braided line; (1) boat hook; (1) qt. synthetic gear oil; (1) qt. power-steering / trim fluid; (1) qt. Neutra-salt solution
Safety gear	(4) Type II PFD lifejackets in bag; (1) fire extinguisher; (1) hand-held canister airhorn; (1) throwable floating device (square cushion); (2) plastic whistles; (4) flares; flashlight with batteries; basic first-aid kit; spare fuse kit
Burgee	Varnished teak burgee staff on bow with Hunt Burgee
Documentation	U.S. Coast Guard Documents