

THE HUNT OCEAN SERIES

# Hunt 72



HUNT YACHTS

[www.HuntYachts.com](http://www.HuntYachts.com)

# Hunt 72



---

## Standard Equipment, Materials, Features

---



Length (Hull):	71'3"	(22.02 m)
Length Overall (LOA) with swim platform:	76' 9"	(23.39 m)
Waterline Length (DWL):	63' 5"	(19.33 m)
Molded Beam:	19' 6"	(5.95 m)
Draft with Props:	5' 5"	(1.65 m)
Displacement (Half Load):	135,000 lbs.	
Max. Speed (Half Load):	29-31± kts	
Fast Cruise (Half Load):	25-27± kts.	
Range @ 20 kts:	400 nm	(10% reserve)
Fuel Capacity:	2,050 gal.	(8,138 L)
Water Capacity:	490 gal.	(1,845 L)
Generator:	2 x Northern Light	25kw @ 1800 rpm
Engines:	Twin CAT C32 1900bhp @ 2300 rpm Twin Disk Quickshift transmission with GP valve; CAT Three-60 joystick system	

---

### SALES OFFICE

---

Hunt Yachts, LLC.  
1909 Alden Landing  
Portsmouth, RI 02871  
Phone: 401. 324. 4201 Fax: 401.683. 3627  
[info@huntyachts.com](mailto:info@huntyachts.com) [www.huntyachts.com](http://www.huntyachts.com)

---

## CONSTRUCTION

---

- Hull lamination, vacuum bagged PVC foam core.
- Hull structure, in lightweight composite FRP girders
- Knitted Fiberglass, e-glass throughout.
- Engine bed structure girder design with high density foam.
- Vinylester Barrier Laminate
- Bulkheads, structural, cored composite.
- Bulkheads, fully laminated bulkheads bonded to hull
- Deck lamination, vacuum-bagged foam core
- Deck and housetop structure, in composite FRP beams and frames.
- Deck hardware installation, high density core in way of hardware.
- Deck hull joint, fully laminated and mechanically fastened.
- Collision bow tank and bulkhead, with plexi glass inspection plate.
- Cabin soles, structural, vacuum-bagged, cored composite, with sound proof features.
- Hull: AWLCraft color of choice
- Bottom paint: Interlux Ultra Speed anti-fouling (or equal premium bottom paint).
- Painted boot stripe, single.

---

## MECHANICAL & PLUMBING

---

- Engines: twin Caterpillar C32 diesel, 1600 bhp @ 2300.
- Twin Disc Quick Shift remote-mounted v-drives (model MGX-6620-RV, 2.09:1).
- Caterpillar Three60 joystick control system with 2 stations
- Bow Thruster, proportional hydraulic, integrated to Cat Three60 system.
- Stern Thruster, proportional hydraulic, integrated to Cat Three60 system
- Engine throttle and gear shift controls, dual station, electronic, with synchronizers.
- Ride and trim control, Humphree Ride Control system. Engine mounts, heavy duty isolation mounts.
- Engine instrumentation at helm, start / stop with electronic digital displays.
- Engine instrumentation in engine room, start / stop analog controls for each engine.
- Exhaust system, twin stainless risers, dual chamber FRP muffler with FRP tubing, high-temperature silicon rubber connectors.
- Propellers, Nibral, dynamically balanced, 5-bladed.
- Exhaust, discharge at transom corner.
- Propeller shafts, HS stainless steel, with tapered coupling.
- Prop pocket tunnels.
- Shaft P brackets, bronze with rubber bearings.
- Shafting with drip-less lip seals, bearings, spare seal installed.
- Steering, power assisted with autopilot connection points.
- Steering rudders, stainless steel with stainless shaft and tiller arms with lip seal, bearings.
- Soft mounting, pumps, fans, compressors, and other noise/vibration sources will be elastically mounted.
- Engine room, sound insulation, composite panels of dampening, barrier and absorption layers.
- Pantograph engine room door, watertight, hinged.
- Engine room fire protection system, Sea-Fire, automatic system, with manual override, engine shutdown and dampeners.
- Engine removal soft patch in after deck.
- Engine room flooring, in FRP composite panels with non-slip surface.
- Engine room safety rails around engines, stainless steel.
- Engine room faucet, cold.
- Engine room finish, in white, flow coated Gelcoat and brushed Polyurethane.
- Exhaust, generator system with gas water separator.
- Oil sump, FRP composite, under engines.
- Three fuel tanks, main, baffled Aluminum tank. 2150 Gal.
- Fuel management panel with valves and two pumps, 24 vdc.
- Fuel hose, fill, supply, return, approved Type A1 and A2.
- Fuel filters, Racor® and water separators for each engine and generator.
- Oil change kit, for engine, gear and generator, 24 vdc.
- Fuel tank vents. Flush SS
- Fuel vent filters, anti-spill device for each tank.
- Seacocks: Groco Safety Seacocks® for engine raw water intake.
- All Hose connections below waterline are DBL clamped.
- Seacocks, with raw water strainers for pumps and intakes.
- Three tanks, fresh water, baffled stainless steel. 490 Gal.
- Two tank, gray water, baffled in FRP composite. 235 Gal.
- Two tank, black water, baffled in FRP composite. 225 Gal.
- Tank fills, for fuel, water and waste, stainless steel.
- Tank gauges for fuel and water (fresh, gray, and waste), 24 vdc.
- Tank, vents for water, gray, waste tanks.
- Four discharge pumps, for waste and gray water tanks, 24 vdc.
- Toilets, macerator, 24vdc Tecma® electric system. Fresh water flush.
- Fresh water system, engineered plastic piping and fittings.
- Fresh water pumps, twin, variable pressure, 24 AC/DC.
- Fresh water regulator, for dock side water
- Water heaters, twin 20 gallon, 230 vac. Seaward
- Stacked washer and dryer, 220 vac, vented. Asko
- Bilge System  
Anchor locker, self-draining  
VIP bilge – Rule 16A 37000 GPH 24 V  
Owners bilge – Rule 16A 37000 GH 24 V  
Crew bilge – Rule 12 A 2000 GPH 24 V  
Engine room – 2 x Rule 16 A 3700 GPH 24 V  
In addition there is a Whale BP 3740 manual bilge pump in crew accommodation

---

## ELECTRICAL

---

- DC electrical system, 12 vdc + 24 vdc
- AC electrical system, 115 vac, 230 vac.
- Batteries, Northstar 210 4 ea 255 Ah for engine start, 4 ea 255 Ah for house, 1 ea 105 Ah for generator
- Stainless steel angle bar with hold down straps for batteries.
- Battery charger, mastervolt 24/60 AMP.
- Battery charger, 230 vac-12 vdc, 30 amp.
- Battery condition indicator.
- Battery isolation.
- Battery switch, emergency paralleling.
- Battery management panel, AC ship's systems panel in crew's quarters.
- Alternator, engines, 24 vdc, 60 Amp.
- Mass Combi, 24/4000-100.
- Alternator, generator, 12vdc, 30 amps.
- Engine room air intake / discharge system, with fire dampeners. Engine room blowers, Manship 24 vdc.
- Engine room lights, LED, 24 vdc
- Carbon Monoxide detector, each stateroom and salon, 24 vdc.
- Air-conditioning, direct expansion, reverse cycle, remote compressors.
- Air-conditioning, condensation tank with AC equipment 3 X 24000 Btu and 2 X 16000 Btu compressors in the engine room Port forward. All Air handlers are in the accommodations:
  - VIP – 16000 Btu
  - Guest Cabin – 8000 Btu
  - Owners cabin – 2X 12000 Btu
  - Utility room – 4000 Btu
  - Galley – 12000 Btu
  - Salon – 12000 Btu
  - Lower helm – 12000 Btu
  - Crew accommodation – 8000 Btu
- Dual generators, Northern Lights 115/230vac with sound shield, diesel, 20 KW for 60 Hz.
- Twin power isolation transformers, 230 vac.
- Search light remote ARC 100.
- Shore power cable, twin Glendinning® Cablemaster 50 amp with 75 ft. cable for shore power with inlet and white Hubbell® cord.
- Bonding system, zinc anodes.
- Bonding system throughout.
- Circuit breakers, 12 vdc, 24 vdc, 115 vac, 230 vac.
- Circuit breaker panels in passageway, helm, crew's quarters.
- Navigation lights, LED, 24 vdc.
- Outlets 110 vac, galley, engine room heads, salon, cabins, GFCI circuit protection.
- Wiring, marine-grade, tinned copper.
- Wire fittings, marine grade, terminals, connectors, fuses, fittings and conduit.

---

## EXTERIOR OUTFIT

---

### EXTERIOR EQUIPMENT

- Cap rail, varnished teak
- CQR Stainless Steel Anchor with 200 1/2 " galvanized chain
- Anchor chain locker, self-draining, with access hatches.
- 316 Stainless Steel anchor roller, twin rollers, stainless steel. Muir VRC 4000 windlass with hand held remote, 24 vdc.
- Windlass equipment, chain stopper, deck chafe plate.
- Foredeck storage lockers.
- Scuppers, stainless steel.
- 316 Stainless Steel Cleats, mooring & midship, stainless steel.
- 316 Stainless Steel Chocks, stainless steel.
- Courtesy lights, 24 vdc.
- Engine room air intake / discharge vents, painted aluminum.
- Decking, teak decks on after deck and swim platform.
- Cabin house top, non-slip paint, Awlgrip®.
- Flagstuffs, bow burgee and stern ensign, Varnished teak
- Flagstaff holders, bow and stern, stainless steel.
- Rubrail, heavy-duty white vinyl with stainless steel half-round.
- Quarter guard, PVC with stainless steel half round.
- Hand rails, stainless steel, with intermediate rail.
- Safety gates integrated access gates port and starboard.
- Skylight hatches, polished stainless steel with screens/blinds on forward cabin top.
- Varnish, exterior, marine varnish.
- Grab rails, 39" 316 stainless steel or varnished teak.
- Air horn, dual chromed Kahlenberg® horns, 24vdc.
- Stamoid covers for seatings, tables, windshield.

### AFT DECK

- Twin Capstan winches with cleats, 24vdc.
- Settees, exterior FRP furniture with storage.
- Table, varnished teak with stainless steel pedestal, high / low mechanism.
- Cushions and seating, marine grade soft foam and Sunbrella.
- Bimini, shade removable, to cover aft deck area.
- Crew quarter's access through deck hatch.
- Engine room access, weather tight pantograph door from swim platform and through crew's cabin.
- Stowage, inside settee.
- Swim platform, FRP integrated with teak decking.
- Swim platform 316 stainless steel cleats, retractable.
- Swim ladder, 316 stainless steel, under mount.
- Transom shower, hot and cold with retractable hose.
- Freshwater spigot, wash-down.
- Outlets, exterior, 115 vac.
- LED deck flood light, aft deck
- Three underwater LED lights.
- Stainless steel rails, aft deck.
- Salt water wash down, pump, system and outlet, 24 vdc.
- Fender and storage provided in transom and/or deck amenities
- Courtesy lights

---

## INTERIOR OUTFIT

---

### COMMON INTERIOR FEATURES

- Finish, satin varnished Teak throughout
- Cabin doors: Teak veneered panels with solid frame, chrome door hardware, door stops.
- Décor curtains for staterooms.
- Décor package: allowance for bedspreads, pillow shams, pillows for staterooms.
- Décor package: fabrics, seats, settees, throw pillows for salon, staterooms.
- Décor styling: 40 hours consultation provided with interior stylist.
- Sunbrella cabin runners, with proper backing.
- Drawers, veneer panel with frames, inset with slides, positive locks.
- Grab rails, wood and stainless steel.
- Hardware, stainless steel and chrome.
- Headlining, noise reducing foam-backed fabric panels, removable.
- Insect screens, removable for opening port lights.
- Insect screens / blinds, retractable for deck hatches in staterooms.
- Lighting, LED and incandescent, down lights, accent lights, indirect, 24 vdc, with dimmers.
- LED reading lights over berths, salon settees, 24 vdc.
- Locker doors, concealed hinges, positive locks.
- Outlets and switches, Vimar®, décor colored covers, mounting frames, modular switches and UL boxes for outlets.
- Owner's operation and maintenance manual.
- Port lights in hull, stainless steel, opening.
- Sole: teak and holly, high gloss.
- Steps, with clear non-skid varnish.

### VIP STATEROOM, EN SUITE HEAD / SHOWER

- Berth, island queen with lift-up storage with gas assist.
- Berth, décor fabric headboard.
- Hanging locker, cedar-lined w/shelves, rod, hook; micro switch for LED light.
- Mirror framed
- Mattress Berth, premium quality foam.
- Sole, teak and holly. High gloss
- Countertop, granite, for head.
- Exhaust vent blower, 24 vdc.
- Faucet, shower, single lever, with hand held shower, wall union, chrome.
- Faucet, sink, twin lever, pop up drain and P-trap, chrome.
- Shower with drain pump, 24 vdc.
- Shower stall, with glass door, teak grating and seat
- Storage in head, with lockers, drawers.
- Sink, vitreous china, under-counter mount.
- Toilet accessories, paper holder, chrome.
- Tecma® Toilet, marine, electric, 24 vdc.
- Towel rack, rings, hooks, chrome.

### SALOON AND HELM AREA

- Navigation electronics, system tbd with owner, allowance provided.
- Built-in settees, with storage under.
- Two Chairs
- Table, with manual high/low mechanism and high gloss finish
- Coffee table.
- Door, watertight side deckhouse, stainless steel, hinged pantograph
- Door and aft bulkhead teak with watertight aft deckhouse, sliding curved door varnished teak.
- Windows, tempered, glass, direct glazing.
- Windows, forward clear, side tinted, aft curved tinted.
- Television and cabinet, lift-up with 40 LCD flat screen, 115 vac.
- Dry bar, bottle and glass storage.
- Sole, teak and holly, high gloss finish.
- Two vertically opening powered windows in pilothouse
- Chart locker, wood with cover.in board of helm station
- Circuit breaker panel, 12 and 24 vdc, 115 and 230 vac.
- Helm seats, Two Stidd® low back with chrome pedestals, foot rests and Captain's seat to be electric up/down, fwd/back; with auto pilot in armrest Companion seat to be manual
- Helm and electronics consoles- gloss varnished Teak
- Controls at helm: engine controls, joystick system, VHF, trim tabs
- Helm outlet, 12 vdc. UBS Port
- Ritchie Compass, 5 degree card.
- Steering wheel, stainless steel with Teak rim.
- Windshield wipers, triple, 24 vdc with speed control, auto parking and fresh water wash.

### GUEST STATEROOM, EN SUITE HEAD / SHOWER

- Berths, twin, lift-up storage.
- Bureau with drawers and lockers, wooden countertops
- Hanging locker, cedar-lined with shelves and micro switch for LED closet light.
- Mattress foam, premium quality.
- Sole, teak and holly high gloss
- Mirror.
- Exhaust vent blower, 24 vdc.
- Countertop, granite, for head.
- Faucet, sink, twin lever, pop up drain and P-trap, chrome.
- Faucet, shower, single lever, with hand held shower, wall union, chrome.
- Shower stall, with glass door, teak grating
- Shower with drain pump, 24 vdc.
- Sink, vitreous china, under counter mount.
- Storage in head, with lockers, drawer.
- Tecma® Toilet, marine, electric, 24 vdc.
- Toilet accessories, paper holder, chrome.
- Towel rack, rings, hooks, chrome.

---

## INTERIOR OUTFIT, CONTINUED

---

### **MASTER STATEROOM, EN SUITE HEAD / SHOWER**

- Berth, island king with drawer and lift-up storage with gas assist
- Berth, décor fabric headboard.
- Bureaus with drawers and lockers, wooden countertops.
- Mattress inner spring and foam, premium quality.
- Walk in closet cedar lined
- Mirror, framed
- Settee.
- Sole, teak and holly. High gloss
- Soundproofing, overhead and engine room bulkhead.
- Vanity desk with mirror lift-up.
- Vanity chair.
- Countertop, granite, for head and shower.
- Faucet, sink, twin lever, chrome.
- Faucet, shower, single lever, w/hand-held shower, rail, wall union, chrome.
- Double Sink vanity, vitreous china, under counter mount.
- Shower with drain pump, 24 vdc.
- Storage in head, with lockers, drawers.
- Shower stall, teak grate, storage lockers.
- Exhaust vent blower, 24 vdc.
- Tecma® Toilet, marine, 24 vdc.
- Toilet accessories, paper holder, chrome.
- Towel rack, rings, hooks, chrome.
- Head soles, teak and holly
- Large hull ports w/opening portions
- Small security safe.

### **GALLEY, MAIN DECK**

- Refrigerator, Sub Zero®, under-counter mounted 115 vac., double drawer.
- Cook top, Miele , 230 vac, 4 burner
- Galley vent, painted steel, telescoping exhaust blower vent, 115 vac.
- Microwave oven, stainless steel, 115 vac.
- Faucet, single lever with pull out head and hose, chrome.
- Sink, double stainless steel, polished.
- Drawers with cutlery and crockery storage.
- Countertop locker, lift-up for storage lockers.
- Trash container.
- Plate storage in lockers.
- Sole, teak and holly.
- Bar, granite countertop.
- Dishwasher, Miele

### **CREW'S QUARTERS**


- Access, primary is from afterdeck, emergency hatch also for secondary.
- Berth, over/under single bunks
- Mattress, foam with cover.
- Exhaust blower, 24 volt.
- Countertop
- Faucet, sink / shower combo, drain stopper and P-trap.
- Shower faucet, wall holder, chrome.
- Headlining sound deadening foam-backed fabric panels, removable.
- Sink, round, stainless steel.
- Shower, tile floors.
- Shower with drain pump, 24 vdc.
- Sole, premium vinyl flooring.
- Storage in head, with lockers, drawers,
- Tecma® Toilet, marine, 24 vdc, electric.
- Toilet accessories, paper holder, chrome.
- Towel rack, rings, hooks, chrome.
- Partitions and bulkheads, coverings in Formica®, veneer.

### **UTILITY ROOM**

- Slide-out drawer, storage shelves.
- Freezer, Sub-Zero, under counter with double drawers, 115 vac.
- Circuit breaker panel, 12 and 24 vdc, 115 and 230 vac.
- Locker storage.
- Sole, teak and holly. High gloss
- Asko stacked washer /dryer.
- .

## FLY BRIDGE

- Custom extended flybridge .
- Dual access from aft deck and saloon via curved stairs and ladder
- Fiberglass hard top w/ aluminum supports and stainless steel hatches.
- Molded fiberglass fastened to pilothouse.
- 1" stainless steel railing and ladder surrounding passenger area.
- 3/8" custom acrylic windshield with welded stainless steel support brackets.
- Teak edge molding
- Two manual Stidd® helm seats with chrome pedestals.
- L-shaped settee
- Rectangular varnished teak table fixed at cocktail height
- Tender lift crane with remote
- Sink with fridge under.
- Custom fabricated aluminum mast on hard-top aluminum support structure for navigation lights, search light, flood lights, horn, and optional radar and Sat TV dome.
- Fiberglass dash with varnished teak trim.
- Teak steering wheel
- Lighting in overhead
- Gauges, full duplicate engine controls, trim tabs and engine gauges.
- Flybridge sole, painted nonskid



**Designer:** C. Raymond Hunt Associates, Inc.

---

## Commissioning Package

---

- Six (6) 15" x41" Polyform F-series black fenders with covers
- Twelve (12) 15' x 1/2" black fender lines
- Four (4) 3/4" x 35" double-braid nylon black dock lines
- Two (2) 3/4" x 50" double-brain nylon black dock lines
- Twelve (12) Safeguard type 1 orange life vests for adults over 90 lbs.
- Six (6) Kiddie Mariner 2 3/4 lb M10 fire extinguishers
- One (1) Bernard oil discharge placard
- One (1) Bernard waste discharge placard
- Two (2) Jim-Buoy 30" white ring buoys
- Four (4) Perko chrome/brass 4-ring buoy holders
- One (1) Orion alert/locate flare kit
- One (1) Orion circumnavigator first aid kit
- One (1) Orion safety blaster horn

---

### OWNER OPTIONS

#### Options on Request

---

#### Notes

Items and specifications are subject to change.

Hunt Yachts, LLC. reserves the right to modify, change or upgrade the specifications to meet quality requirements.

Weight and Draft are based on the standard engine.

Weight and displacement are an estimate only.

Speed and Range are estimates only and may vary depending on conditions.

Capacities for tanks are estimates only and the useable volume may vary depending on conditions.

---

### Hunt Yachts LLC

1909 Alden Landing, Portsmouth, RI 02871

phone: 401.324.4201 fax: 401 683.3627

[info@huntyachts.com](mailto:info@huntyachts.com) [www.huntyachts.com](http://www.huntyachts.com)