

THE HUNT OCEAN SERIES

Hunt 72



HUNT YACHTS

www.HuntYachts.com

Hunt 72



Standard Equipment, Materials, Features



Length (Hull):	71' 3"	(22.02 m)
Length Overall (LOA) with swim platform:	76' 9"	(23.39 m)
Waterline Length (DWL):	63' 5"	(19.33 m)
Molded Beam:	19' 6"	(5.95 m)
Draft with Props:	5' 5"	(1.65 m)
Displacement (Half Load):	125,000 lbs.	
Max. Speed (Half Load):	35-37± kts	
Fast Cruise (Half Load):	30-32± kts.	
Range @ 20 kts:	400 nm	(10% reserve)
Fuel Capacity:	1,800 gal.	(6,814 L)
Water Capacity:	490 gal.	(1,845 L)
Generator:	2 x Northern Light	20kw @ 1800 rpm
Engines:	Twin CAT C32 1900bhp @ 2300 rpm Twin Disc remote v-drives; CAT Three-60 joystick system	

SALES OFFICE

Hunt Yachts, Inc.
1909 Alden Landing
Portsmouth, RI 02871
Phone: 401. 324. 4201 Fax: 401.683. 3627
info@hunt-yachts.com www.hunt-yachts.com

CONSTRUCTION

- Standards, construction, and finish will be to yacht standards. Hull scantlings will be developed to ABS Guide for Motor Yachts and/or Rules for High-Speed Craft. Machinery and equipment shall be installed according to the rules and regulations of the United States Coast Guard, the American Boat and Yacht Council, and the National Fire Protection Association. All safety equipment shall be U.S. Coast Guard Approved.
- Hull lamination, vacuum bagged PVC foam core above and below waterline.
- Hull structure, in lightweight composite FRP girders and webs.
- Fiberglass, e-glass, knitted throughout.
- Hull surfaces below waterline with 3 coats of epoxy undercoating.
- Engine bed structure, girder design with high density foam.
- Deck lamination, vacuum-bagged PVC foam core for vertical / horizontal areas.
- Deck and housetop structure, in composite FRP beams and frames.
- Deck hardware installation, high density core in way of hardware.
- Deck hull joint, fully laminated and mechanically fastened.
- Collision bow tank and bulkhead, with inspection plate.
- Bulkheads, structural, cored composite.
- Bulkheads, fully laminated bulkheads and mechanically fastened.
- Cabin soles, structural, vacuum-bagged, cored composite, with sound proof features.
- Hull: Gelcoat color of choice
- Bottom paint: Interlux Ultra Speed anti-fouling (or equal premium bottom paint).
- Painted boot stripe, single or double.
- Gelcoat color to be selected by owner from standard for deck.
- Gelcoat, clear for hull below waterline.
- Resin skin coats, with hybrid vinyl ester for hull, deck, and exterior parts.
- Resin structural, orthophthalic resin for composite.

MECHANICAL & PLUMBING

- Engines: twin Caterpillar C32 diesel, 1900 bhp @ 2300.
- Twin Disc Quick Shift remote-mounted v-drives (model MGX-6620-RV, 2.09:1).
- Caterpillar Three60 joystick control system with 2 station hard wired remote stations and one wireless remote control. Locations of joysticks tbd with owner.
- Bow Thruster, proportional hydraulic, integrated to Cat Three60 system.
- Stern Thruster, proportional hydraulic, integrated to Cat Three60 system
- Engine throttle and gear shift controls, dual station, electronic, with synchronizers.
- Ride and trim control, Humphree ACTIVE Ride Control system with automatic trim, list and turn control.
- Engine mounts, heavy duty isolation mounts.
- Engine instrumentation at helm, start / stop with electronic digital / analog displays.
- Engine instrumentation in engine room, start / stop analog controls for each engine.
- Exhaust system, twin stainless risers, dual chamber FRP muffler with FRP tubing, high-temperature silicon rubber connectors, isolation mounted.
- Propellers, Nibral, dynamically balanced, 5-bladed.
- Exhaust system, discharge at transom corner.
- Propeller shafts, HS stainless steel, with tapered coupling.
- Prop pocket tunnels.
- Shaft P brackets, bronze with rubber bearings.
- Shafting with drip-less lip seals, bearings, spare seal installed.
- Steering, power assisted with autopilot connection points.
- Steering rudders, cast stainless steel with stainless shaft and bronze tiller arms with lip seal, bearings.
- Soft mounting, pumps, fans, compressors, and other noise/vibration sources will be elastically mounted.
- Engine room air intake / discharge system, with fire dampeners. Engine room blowers, Manship 24 vdc.
- Engine room, sound insulation, composite panels of dampening, barrier and absorption layers.
- Pantagraph engine room door, watertight, hinged, window.
- Engine room fire protection system, Novec 1230, engineered automatic system, with manual override, engine shutdown and dampeners.
- Engine removal soft patch in after deck.
- Engine room flooring, in FRP composite panels with non-slip surface.
- Engine room safety rails around engines, stainless steel.
- Engine room faucet, fresh water.
- Engine room finish, in white, flow coated Gelcoat and brushed Awlgrip®.
- Exhaust, generator system with gas water separator.
- Oil sump, FRP composite, under engines.
- Fuel tank, main, baffled in Aluminum tank .
- Fuel tanks, one auxiliary, baffled in Aluminum .
- Fuel management panel with valves and transfer pump, 24 vdc.
- Fuel hose, fill, supply, return, approved Type A1 and A2.
- Fuel filters, Racor® twin water separators for each engine and generator.
- Oil change kit, for engine, gear and generator, 24 vdc.
- Fuel tank vents.
- Fuel vent filters, anti-spill device for each tank.
- Seacocks: Groco Safety Seacocks® for engine raw water intake.
- Strainers: exterior hull strainers for engines, air conditioning.
- Seacocks on thru-hulls below waterline with double clamped hoses.
- Seacocks, raw water strainers for pumps and intakes.
- Seacocks, valves on thru-hulls above waterline with double clamped hoses.
- Tanks, fresh water, baffled stainless steel.
- Tank, gray water, baffled in FRP composite.
- Tank, waste water, baffled in FRP composite.
- Tank fills, for fuel (), water and waste, stainless steel.
- Tank gauges for fuel and water (fresh, grey, and waste), 24 vdc.
- Tank, vents for water, grey, waste tanks.
- Discharge pumps, for waste and gray water tank, 24 vdc.
- Toilets, macerator, 24vdc Tecma r electric system.
- Fresh water system, engineered plastic piping and fittings.
- Fresh water pumps, twin, variable pressure, 24 vdc.
- Fresh water regulator, city water.
- Fresh water filter.
- Water hose, reinforced rubber hose for drainage, discharge and supply.
- Seaward water heaters, twin, 230 vac.
- Asko washer and Dryer, 220 vac, vented.
- Whale emergency Bilge pump, manual.
- Rule bilge pumps, zoned, automatic, 24 vdc.

ELECTRICAL

- DC electrical system, 12 vdc + 24 vdc
- AC electrical system, 115 vac, 230 vac.
- Batteries, Northstar 210 4 ea 255 Ah for engine start, 4 ea 255 Ah for house, 1 ea 210 Ah for generator
- Stainless steel angle bar with hold down straps and covers.
- Battery charger, 230 vac-24 vdc, 100 amp.
- Battery charger, 230 vac-12 vdc, 30 amp.
- Battery condition indicator.
- Battery isolation.
- Battery switch, emergency paralleling.
- Battery management panel, AC ship's systems panel in crew's quarters.
- Alternator, engines, 24 vdc, 60 Amp.
- Inverter, 4,000 watt.
- Alternator, service batteries 24 vdc, 110 amp, with regulator and dual battery connection.
- Alternator, generator, 12vdc, 60 amps.
- Engine room lights, LED, 115 vac.
- Engine room lights, 24 vdc.
- Carbon Monoxide detector, each stateroom and salon, 24 vdc.
- Air-conditioning, direct expansion, reverse cycle, remote compressors.
- Air-conditioning, condensation tank with pumps.
- Dual generators, Northern Lights 115/230vac with sound shield, diesel, 25 KW for 60 Hz.
- Shore power isolation transformers, 230 vac.
- Search light remote ARC 100.
- Shore power cable, twin Glendinning® Cablemaster 50 amp with 75 ft. cable for shore power with inlet and white Hubbell® cord.
- Bonding system, zinc anodes.
- Bonding system, all metal parts.
- Circuit breakers, 12 vdc, 24 vdc, 115 vac, 230 vac.
- Circuit breaker panels in passageway, helm, crew's quarters.
- Navigation lights, LED, 24 vdc.
- Outlets 110 vac, galley, engine room heads, salon, cabins, GFCI circuit protection.
- Wiring, marine-grade, tinned copper.
- Wire fittings, marine grade, terminals, connectors, fuses, fittings and conduit.

EXTERIOR OUTFIT

EXTERIOR EQUIPMENT

- Cap rail, varnished teak
- Eyebrow, varnished teak
-
- Anchor chain locker, self-draining, with access hatches.
- Jin Shi anchor roller, twin rollers, stainless steel.
- LEWMAR Windlass, dual function for chain and rode, vertical, 24 vdc.
- Windlass equipment, chain stopper, hawser, snubber, deck chafe plate.
- Foredeck storage lockers, twin.
- Scuppers, stainless steel.
- Cleats, mooring & midship, stainless steel.
- Chocks, stainless steel cast.
- Courtesy lights, 24 vdc.
- Engine room air intake / discharge vents, painted aluminum.
- Decking, teak decks on after deck, side decks and foredeck, epoxy glued.
- Cabin house top, non-slip paint, Awlgrip®.
- Flagstaffs, bow burgee and stern ensign, Varnished teak
- Flagstaff holders, bow and stern, stainless steel.
- Rubrail, heavy-duty white vinyl with stainless steel half-round.
- Quarter guard, FRP molded with stainless steel half round.
- teak Hand rails, stainless steel, with intermediate rail.
- Safety gates integrated access gates port and starboard.
- Skylight hatches, polished stainless steel with screens/blinds on forward cabin top.
- Varnish, exterior, marine varnish.
- Grab rails, stainless steel or varnished teak.
- Company Brand mark, on deck, stainless steel.
- Air horn, dual chromed Kahlenberg® horns, 24vdc.
- Exterior protection covers for settees, tables, windows.

AFT DECK

- Capstan winches with cleats, 24vdc.
- Settees, exterior FRP furniture with storage under.
- Table, varnished teak with stainless steel pedestal, high / low mechanism.
- Cushions and seating, marine grade soft foam and Sunbrella
-
- Bimini, removable, to cover aft deck area.
- Stereo speakers, as part of main system
- Crew quarter's access through deck hatch.
- Engine room access, water tight pantograph door from swim platform and through crew's cabin.
- Stowage, under settee.
- Swim platform, FRP integrated with teak decking.
- Swim platform cleats, retractable.
- Swim ladder, stainless steel, under mount.
- Transom shower, hot and cold with retractable hose.
- Freshwater spigot, wash-down.
- Outlets, exterior, 115 vac.
- Deck flood light, aft deck
- Three underwater LED lights.
- Support rails, stainless steel, aft deck.
- Salt water wash down, pump, system and outlet, 24 vdc.
- Fender and fender board storage provided in transom and/or deck amenities
- Custom bow rail underlighting
- Stamoid cover for seating
- Texaline cover for windshield

INTERIOR OUTFIT

COMMON INTERIOR FEATURES

- Finish, gloss varnished Mahogany throughout
- Blinds on main salon windows.
- Cabin doors: cored veneered panels with solid frame, chrome door hardware, door stops.
- Décor blinds for staterooms.
- Décor package: allowance for bedspreads, pillow shams, pillows for staterooms.
- Décor package: fabrics, seats, settees, throw pillows for salon, staterooms.
- Décor styling: 20 hours consultation provided with interior stylist.
- Sunbrella cabin sole covers throughout interior, with proper backing.
- Drawers, veneer panel with frames, inset with slides, positive locks.
- Grab rails, wood and stainless steel.
- Hardware, stainless steel and chrome.
- Headlining, foam-backed fabric panels, removable.
- Insect screens, removable for opening port lights.
- Insect screens / blinds, retractable for deck hatches in staterooms.
- Lighting, LED and incandescent, down lights, accent lights, indirect, 24 vdc, with dimmers.
- Lights, reading over berths, salon settees, 24 vdc.
- Locker doors, concealed hinges, positive locks.
- Outlets and switches, Vimar®, décor colored covers, mounting frames, modular switches and UL boxes for outlets.
- Owner's operation and maintenance manual.
- Painted interior, hidden surface areas below lockers, berth and furniture.
- Port lights in hull, stainless steel, opening.
- Sole: teak and holly, high gloss.
- Steps, with clear non-skid varnish.

VIP STATEROOM, EN SUITE HEAD / SHOWER

- Berth, island queen with lift-up storage.
- Berth, décor fabric headboard.
- Hanging locker, cedar-lined w/shelves, rod, hook; micro switch for LED light.
- Mirror framed
- Mattress foam, premium quality.
- Sole, teak and holly.
- Countertop, granite, for head.
- Exhaust vent blower, 24 vdc.
- Faucet, shower, single lever, with hand held shower, wall union, chrome.
- Faucet, sink, twin lever, pop up drain and P-trap, chrome.
- Shower with drain pump, 24 vdc.
- Shower stall, with acrylic door, teak grating
- Storage in head, with lockers, drawers.
- Sink, vitreous china, under-counter mount.
- Toilet accessories, paper holder, chrome.
- Tecma toilet, marine, electric, 24 vdc.
- Towel rack, rings, hooks, chrome.
- Head soles, premium flooring.

SALOON AND HELM AREA

- Navigation electronics, system tbd with owner, allowance provided.
- Built-in settees, with storage under.
- Chairs and bar stools, styling TBD with owner
- Table, wood, with manual high/low mechanism.
- Coffee table / foot stools, fabric-covered wood.
- Door, watertight side deckhouse, stainless steel, hinged pantograph
- Door and aft bulkhead teak with watertight aft deckhouse, sliding curved door varnished teak.
- Windows, tempered, fritted glass, direct glazing.
- Windows, forward clear, side tinted, aft curved tinted.
- Television and cabinet, lift-up with 40 LCD flat screen, 115 vac.
- Stereo system, custom designed, allowance provided
- Dry bar, bottle and glass storage.
- Sole, teak and holly, high gloss finish.
- Window tint for pilothouse windows, color TBD from Hunt available colors
- Two powered windows in pilothouse
- Drop down screen for saloon aft door
- Chart locker, wood with cover in board of helm station
- Circuit breaker panel, 12 and 24 vdc, 115 and 230 vac.
- Helm seats, Two Stidd® low back with chrome pedestals, foot rests and . Captain's seat to be electric up/down, fwd/back; Companion seat to be manual
- Helm and electronics consoles- gloss varnished Mahogany
- Controls at helm: engine controls, joystick system, VHF, trim tabs
- Helm outlet, 12 vdc.
- Compass, 5 degree card.
- Steering wheel, stainless steel with wood rim.
- Windshield wipers, triple, 24 vdc with speed control, auto parking and fresh water wash.

GUEST STATEROOM, EN SUITE HEAD / SHOWER

- Berths, twin, lift-up storage.
- Bureau with drawers and lockers, wooden countertops
- Hanging locker, cedar-lined with shelves and micro switch for LED closet light.
- Mattress spring, premium quality.
- Sole, teak and holly
- Mirror.
- Exhaust vent blower, 24 vdc.
- Countertop, granite, for head.
- Faucet, sink, twin lever, pop up drain and P-trap, chrome.
- Faucet, shower, single lever, with hand held shower, wall union, chrome.
- Shower stall, with acrylic door, teak grating
- Shower with drain pump, 24 vdc.
- Sink, vitreous china, under counter mount.
- Head soles, teak and holly.
- Storage in head, with lockers, drawer.
- Tecma toilet, marine, electric, 24 vdc.
- Toilet accessories, paper holder, chrome.
- Towel rack, rings, hooks, chrome.

INTERIOR OUTFIT, CONTINUED

MASTER STATEROOM, EN SUITE HEAD / SHOWER

- Berth, island king with drawer and lift-up storage.
- Berth, décor fabric headboard.
- Bureaus with drawers and lockers, wooden countertops.
- Mattress foam, premium quality.
- Walk in closet
- Entertainment center: LCD TV, CD/DVD, AM/FM radio.
- Mirror, framed
- Settee.
- Sole, teak and holly
- Soundproofing, overhead and engine room bulkhead.
- Vanity desk with mirror lift-up.
- Vanity chair.
- Countertop, granite, for head and shower.
- Faucet, sink, twin lever, pop up drain and P-trap, chrome.
- Faucet, shower, single lever, w/hand-held shower, rail, wall union, chrome.
- Double Sink, vitreous china, under counter mount.
- Shower with drain pump, 24 vdc.
- Storage in head, with lockers, drawers.
- Shower stall, teak floors, storage lockers.
- Exhaust vent blower, 24 vdc.
- Tecma toilet, marine, electric, 24 vdc.
- Toilet accessories, paper holder, chrome.
- Towel rack, rings, hooks, chrome.
- Head soles, teak and holly
- Emergency escape hatch.
- Large hull ports w/opening portions
- Small security safe.

GALLEY, MAIN DECK

- Refrigerator, Sub Zero®, under-counter mounted 115 vac., double drawer.
- Cook top, Gaggenau , 230 vac, 2 burner
- Galley vent, painted steel, telescoping exhaust blower vent, 115 vac.
- Thermador Microwave / convection oven, stainless steel, 115 vac.
- Faucet, single lever with pull out head and hose, chrome.
- Sink, double stainless steel, polished.
- Drawers, cutlery and storage.
- Countertop locker, lift-up for storage lockers.
- Trash container, slide-out plastic bin.
- Plate storage in lockers.
- Sole, teak and holly.
- Bar, countertop.
- Countertop, granite.
- Dishwasher, Miele

CREW'S QUARTERS


- Access, primary is from afterdeck, emergency hatch also for secondary.
- Air conditioning, self-contained.
- Berth, over/under single bunks
- Mattress, foam with cover.
- Exhaust blower, 24 volt.
- Countertop, Silestone throughout.
- Faucet, sink / shower combo, drain stopper and P-trap.
- Shower faucet, wall holder, chrome.
- Headlining, foam-backed fabric panels, removable.
- Sink, round, stainless steel.
- Shower, tile floors.
- Shower with drain pump, 24 vdc.
- Sole, premium flooring.
- Storage in head, with lockers, drawers,
- Tecma toilet, marine, electric, 24 vdc.
- Toilet accessories, paper holder, chrome.
- Towel rack, rings, hooks, chrome.
- Partitions and bulkheads, coverings in Formica®, veneer.

UTILITY ROOM

- slide-out drawer, storage shelves.
- Freezer, Sub-Zero, under counter with double drawers, 115 vac.
- Circuit breaker panel, 12 and 24 vdc, 115 and 230 vac.
- Locker storage.
- Sole, teak and holly.
- Asko full-size, side-by-side washer /dryer.
- Subzero Wine cooler.

FLY BRIDGE

- Custom extended flybridge .
- Dual access from aft deck and saloon via curved stairs
- Fiberglass hard top w/ aluminum supports
- Molded fiberglass fastened to pilothouse.
- 1" stainless steel railing and ladder surrounding passenger area.
- 3/8" custom acrylic windshield with welded stainless steel support brackets.
- Teak edge molding
- Two Stidd® helm seats with chrome pedestals. One seat to be electric powered fwd/back; 2nd seat to be manual
- Two L-shaped settees with storage and refrigerator drawer below
- Two folding steamer type teak lounge chairs for deck or swim platform
- Rectangular varnished teak table fixed at cocktail height
- Tender lift-hydraulic with remote
- Dinghy and outboard, allowance provided.
- Fresh water spigot.
- Custom fabricated aluminum mast on hard-top aluminum support structure for navigation lights, search light, flood lights, horn, and optional radar and Sat TV dome.
- Teak dash with varnished teak trim.
- Flybridge to have option of being enclosed.
- Lighting in overhead
- Gauges, full duplicate engine controls, trim tabs and engine gauges.
- Flybridge sole, teak.
- Storage for two paddleboards below dinghy



Designer: C. Raymond Hunt Associates, Inc.

OWNER OPTIONS (See OPTIONS Sheet)

Notes

- | | | |
|--|---|--|
| <ul style="list-style-type: none">• Items and specifications are subject to change.• Hunt Yachts, Inc. reserves the right to modify, change or upgrade the specifications to meet quality requirements. | <ul style="list-style-type: none">• Weight and Draft are based on the standard engine. <p>Weight and displacement are an estimate only.</p> | <p>Speed and Range are estimates only and may vary depending on conditions.</p> <ul style="list-style-type: none">• Capacities for tanks are estimates only and the useable volume may vary depending on conditions. |
|--|---|--|
-

Hunt Yachts LLC

1909 Alden Landing, Portsmouth, RI 02871

phone: 401.324.4201 fax: 401 683.3627

info@huntyachts.com www.huntyachts.com