



## Hunt 54 Ocean Series – Base Price \$ 1,950,000

### Standard Equipment List

#### SPECIFICATIONS

Hull Length:	52' – 1" (15.9m)
Length Overall:	57' – 3" (17.04m) with swim platform
Waterline Length:	48' – 0" (14.6m)
Molded Beam:	15' – 8" (4.8m)
Draft with Props:	4' – 6" (1.37 m)
Height (waterline to mast top):	18' (5.5 m)
Displacement (Half Load):	54,000 lbs. (24.1 LT)
Fuel Capacity:	750 gal. (2,839 L)
Water Capacity:	150 gal. (568 L)

#### PERFORMANCE

Power:	Twin Volvo Penta IPS 950, 725 HP
Maximum Speed (Full Load):	Std. Power 31 kts.,
Fast Cruise (Full Load):	Std. Power 27 kts.,
Range:	300 nm (10% reserve)
Generator:	1 x Northern Lights 16KW

#### INTERIOR OUTFIT -COMMON INTERIOR FEATURES

Blinds:	Roman-Style in salon. Rolled covers in cabin.
Décor package:	Owners choice of Hunt approved fabrics for salon and cockpit seats.
Doors, cabin:	Painted shaker style framed panels
Doors, locker:	Off white painted plantation shutter style louvered doors
Drawers:	Off white painted shaker-style framed drawer fronts
Grab rails:	Custom Stainless/ teak
Hanging lockers:	Cedar lined in master stateroom,
Hardware:	Seasmart stainless steel blind catches for drawers and cabinets, Mobella McCoy SouthCo Single lever for doors.
Headliner:	Painted bead board with painted battens
Insect screen/blinds:	Ocean air blinds and screens on overhead hatches
Lighting:	All lights to LED
Outlets and switches:	Vimar switches and outlets
Soles, deckhouse:	Teak & holly
Soles, heads:	FRP and solid teak grating
Soles, staterooms:	Teak & holly
Stairs:	Teak and holly tread with stainless steel support
Interior finish:	Off white paint or satin varnish teak on surfaces below chair rail height
Wall coverings:	Off-white painted wood or satin varnish teak below chair rail height
Wood, interior:	Off white painted or varnished teak surfaces and quarter sawn solid teak accents

## SALON

Settee:	U-shape w/custom convertible hi-lo forward/companion seating
Chair:	Fabric, barrel
Table:	Pneumatic hi-lo, expandable cocktail to dining, leaf
Aft Sliding Glass Door:	Curved, weathertight, stainless-steel frame, handle and hardware
Side Windows:	Manship glazed, frameless, tinted, electric drop-down port & starboard, Manship blinds
Bar:	Includes sink, refrigerator, icemaker within storage cabinet, wine bottle storage under wetbar
TV:	28" Samsung H4000TV on a motorized lift with Apple TV

## HELM

Seat:	Double, flip-up bolster, adjustable footrest, twin storage ottoman seat
Pods:	Twin, upholstered
Chart Drawer:	Painted
Circuit-Breaker Panel:	12 & 24 vdc, 115 & 230 vac.
Console:	Custom teak
Electronics Console:	Custom, removable
Controls:	Steering, engine start/stop, gear shift, throttles, horn, bow thruster, wipers, bilge pumps, exterior lighting, running lights
Windshield Wipers:	Pantograph, 24 vdc, speed control, auto parking, fresh-water wash
Windshield Defroster:	Starboard side in front of helm
Windshield:	Forward exterior covers
Outlet:	12 vdc.
Compass:	Ritchie® Powerdamp, 5" card, flush mount,
Steering Wheel:	Stainless steel and teak

## GALLEY

Cabinets:	Painted
Countertops:	Corian or similar
Sink:	Polished stainless steel, flush teak cover
Cabinets:	Painted finish; cutlery & storage drawers, lazy susan storage lockers under
Pantry Lockers:	(4) large, passageway
Storage:	Under-sole storage
Refrigerator/Freezer:	Sub Zero, stainless steel under-counter mount, 110v/12v
Stove:	Eurokera® 2-burner cooktop, flush corian cover up, 230 vac
Microwave:	Sharp® stainless steel, convection, gourmet, 110 vac
Trash Bin:	Cabinet slide-out
Coffee Maker:	Contourel®, built-in

## MASTER STATEROOM

Berth:	Island queen, lift-up storage, cherry drawers beneath
Mattress:	Premium grade with inner springs
Hanging Lockers:	Painted, cedar-lined, shelves, micro-switch LED
Bureaus:	Painted
Mirror:	Full-length
TV:	Sony® LED Digital Color TV, cable ready, cable outlet, starboard bulkhead
Stereo:	AM/FM radio, CD, DVD player, IPOD jack
Overhead Hatch:	(1)

### MASTER HEAD

Shower:	Kohler® faucet, single lever, hand-held shower, chrome shower rail & wall union; acrylic door, molded FRP, sump pump 24 vdc.
Sink:	Stainless steel under mount, Kohler® faucet, single lever, chrome pop-up drain & P-trap
Toilet:	SeaLand®, electric, fresh water, 24 vdc.
Countertop:	Corian
Floors:	Ceramic tile
Storage:	Painted lockers & drawers
Countertop:	Corian
Accessories:	Chrome toilet-paper holder, towel racks, rings, hooks
Exhaust Vent Blower:	24 vdc.
Overhead Hatches:	(2)

### GUEST STATEROOM

Settee/Berth:	Converts to single or double berth
Mattress:	Premium quality, inner spring
Pocket Doors:	Painted
Hanging Locker & Drawers:	Painted, built-in desk, prep for LCD TV
Washer/Dryer Combo:	Splendide®
Overhead Hatch:	(1)
Lockers:	Painted

### MID CABIN

Hanging locker:	Cedar lined; micro switch for LED closet light.
Portlights:	2 portlights P&S
Bureau:	(1) with drawers
Berths:	Twin converts to double mattress - premium grade foam

### ENSUITE HEAD

Shower:	Kohler® faucet, single lever, hand-held shower, chrome shower rail & wall union; sliding curved acrylic door, molded FRP, sump pump 24 vdc
Sink:	Stainless steel under mount, Kohler® faucet, single lever, chrome pop-up drain & P-trap
Toilet:	SeaLand® , electric, freshwater, 24 vdc
Countertop:	Corian
Cabin Doors:	Cored Teak or painted panels, solid frame, chrome hardware, door stops
Hardware:	Stainless steel & chrome
Headliner:	Ultrasuede, foam-backed fabric, removable

### CONSTRUCTION

Hull Lamination:	Vinyl ester-infused foam-cored laminate above and below water line.
Hull Structure:	Lightweight composite FRP stringers and webs
Engine-Bed Structure:	Stringer design with high-density foam.
Deck Lamination:	Vacuum-bagged PET foam core for vertical and horizontal areas. Deck and Housetop
Structure:	Composite FRP beams and frames.
Deck-Hardware Installation:	High-density core in way of hardware.
Deck-Hull joint:	Fully bonded and mechanically fastened.
Bulkheads:	Fully laminated bulkheads.

### CONSTRUCTION (CONTINUED)

Cabin Soles, Structural:	Vacuum-bagged cored composite, with sound-proof features.
Gelcoat:	White for deck
Paint:	Bottom paint and antifouling
Hull Identification:	Mark & logo
Hull:	Gelcoat color of choice

### MECHANICAL AND PLUMBING

Engines:	IPS 950 Volvo Penta engine
Gear Shift Controls:	Volvo, electronic, with synchronizers, slow speed control.
Engine Mounts:	Heavy-duty isolation mounts.
Engine instrumentation at Helm:	Start/stop with electronic digital displays.
In engine room:	Start/stop analog controls for each engine.
Exhaust system:	Volvo IPS exhausts
Trim tabs:	Volvo interceptors
Steering:	Volvo IPS electronic steering
Engine room, sound insulation:	Composite panels of dampening, barrier and absorption layers.
Fire protection:	Seafire® engineered automatic system, with manual override.
Engine-removal:	Soft patch in cockpit.
Engine-room flooring:	FRP composite panels with non-slip surface.
Engine-room faucet:	Fresh water.
Engine-room finish:	In white, flow-coated gelcoat.
Exhaust:	Generator system with water separator.
Oil pans:	FRP composite, under engines.
Engine Air Intakes	Manship® with dampeners; Delta-T® Mist Eliminators and custom water separators.
Primary fuel tank:	(1) 700 gals.
Secondary fuel tank:	(2) 75 gals. each
Fuel hose:	Fill, supply, return, approved Type A1 and A2.
Fuel filters:	Racor® twin water separators for each engine.
Fuel vent filters:	Anti-spill device for each tank.
Oil change kit:	For engine, gear and generator, 24 vdc.
Tank gauges:	For fuel and water, 24 vdc.
Seacocks:	Groco® with exterior hull strainers for engines, air conditioning, generator. On thru-hulls below waterline with double-clamped hoses. Raw-water strainers for pumps and intakes. Valves on thru-hulls above waterline with double-clamped hoses.
Fresh & Saltwater washdown:	Pump, system and outlet.
Water Tank:	(1) 200 gals.
Grey Water Tank:	(1) 100 gals.
Black Water Tank:	(1) 150 gals.
Tank fills:	For fuel (oversized), water and waste, stainless steel.
Tank:	Vents for water, gray, waste tanks. Waste and gray water tank indicators and gauges 24 vdc.
Discharge pumps:	For waste and gray water tank, 24 vdc.
Toilets:	SeaLand® 24 vdc electric system.
Fresh-water system:	Engineered plastic piping and fittings. Fresh-water pumps - twin, variable pressure, 24 vdc. Fresh-water regulator - city water. Fresh-water filter.
Water hose:	Reinforced rubber hose for drainage, discharge and supply.
Water heater:	220 vac, 20 gallons
Washer/Dryer Combo:	Splendide® 220 vac, vented.

## MECHANICAL AND PLUMBING (CONTINUED)

Bilge pump: Whale® manual.(3) Rule® 3700 gph, zoned, automatic, 24 vdc.  
Air Conditioner: MarineAir self-contained w/ five (5) separate air handlers for the salon, galley and heads, guest cabin and owner's stateroom

## ELECTRICAL

DC electrical system: 12 vdc, 24 vdc.  
AC electrical system: 115 vac, 230 vac.  
Batteries: AGM, 4 X 8D for ship, 4 X 4D for engine starting.  
Plastic battery boxes with hold-down straps and covers. Battery chargers:75 amp 24V and 30 amp12V. Battery-condition indicator. Battery isolation. Battery switch, emergency paralleling.  
AC circuit: Breaker panel under chart drawer.  
Inverter: 24 vdc to 115 vac, 2400 watts  
Alternator: Engines, 24 vdc, 60 amp. Generator, 240 vac, 60 amps.  
Engine room fans: Manship, 24V DC.  
Engine room lights: 115V AC. LED and 24V DC. LED  
Carbon monoxide detector: Each stateroom and salon, 24 vdc.  
Generator: Northern Lights®, 16 KW, M844 with sound enclosure, exhaust silencer.  
Isolation boosting transformer. 12 KVA.  
Shore-power cable: Glendenning® Cablemaster with 80 ft. cable for shore power with inlet and white Hubbell® cord, 50 amp.  
Bonding system: Common wire bonding with #8 AWG conductors per ABYC E-11.  
Circuit breakers: 12 vdc, 24 vdc, 115 vac, 230 vac. DC circuit-breaker panel - in passageway.  
Navigation lights: LOPO® LED, 24 vdc.  
Outlets: Galley, engine room and heads, GFCI circuit protection.  
Wiring: Marine-grade, tinned copper.  
Wire fittings: Marine grade, terminals, connectors  
Lighting: Imtra® lighting with VIMAR® switches  
Stereo System: Whole boat audio system featuring Fusion components with Blu-ray disk player and iPod/iPhone dock. System includes independent zone and source controls for master cabin, salon and cockpit. Interface to allow wireless streaming from ipod, ipad, or iphone. Includes AM/FM radio tuner  
TV: LED HD TV on electric lift. Blu-Ray player connected to TV

## EXTERIOR OUTFIT

Anchors: CQR stainless steel 55 lb, chain and rode  
Anchor Chain Locker: Self draining, access hatch  
Anchor Roller: Single anchor storage, stainless steel  
Windlass: Lewmar, dual function for chain & rode  
Anchoring Equipment: Stainless-steel chain stopper, hawser, snubber, deck chafe plate  
Scuppers: Stainless steel, Hunt logo  
Cleats: Stainless steel, mooring & deck  
Chocks: Custom, cast stainless steel  
Boot Top: Double  
Decks: Molded-in non-skid  
Sun Roof: Retractable, sliding blind  
Shade: SureShade retractable cockpit awning  
Housetop: Infused PET foam core, non-skid  
Fender Lockers: Mid-ship, flush deck  
Courtesy Lights: Stainless steel  
Portlights: Flush in trunk cabin  
Engine Room Air Grilles: Manship, with louvers painted to match hull color

### EXTERIOR OUTFIT (CONTINUED)

Flagstaffs/Flagstaff Holders:	Custom varnished teak & stainless steel, bow burgee, stern ensign
Rubrail:	Heavy-duty vinyl, stainless-steel half-round
Quarter Guard:	FRP molded, stainless-steel half-round
Safety Rails:	Stainless steel, intermediate wire, integrated access gates, port & starboard
Grab Rails:	Stainless steel
Skylight Hatches:	Screens/blinds on lower forward cabin top
Cove Stripe:	Molded-in w/Hunt logo, gold color
Air Horn:	Dual-chromed Kahlenberg® horns, 24 vdc.
Electronics:	Conduit, prep for optional electronics
Mast:	Aluminum, Awlcraft®, Vestal White
Hull:	Gelcoat color of choice
Teak cap rail:	Varnished
Anti-fouling bottom paint	

### AFTDECK

Decking:	Teak
Settee:	Curved, built in
Cushions & Seating:	Marine grade, non-absorbing soft foam, premium upholstery
Aft Table:	Custom varnished teak, hi-low mechanism, stainless-steel pedestals, expanding leaf
Deck Chairs:	(2) teak portable folding
Stairs:	Starboard steps to swim platform
Exterior Covers:	Seating, chairs, table
Gates:	Starboard stainless-steel gate
Swim Platform:	Teak decking, folding cleats, stainless-steel swim ladder with recessed storage
Transom Shower:	Hot/cold, retractable hose
Washdown:	Fresh water, pressure
Outlets:	(2) exterior, 115 vac.
Locker Storage:	Starboard Locker w/frig

### COMMISSIONING PACKAGE

Docking:	(4) Dock lines (5/8" x 35' bow and stern), (6) fenders (10" x 26") fender air pump, boat hook, garden hose (50' Neverkink)
Safety:	3 Fire Extinguishers (3B-1 or B-I & B-II), 3 Large Life Jackets, 1 Set of 4 Life Jackets, Throwable type IV, First Aid Kit, Flares, Horn
Signage:	Pollution Placard, MARPOL garbage placard, Copy of USCG navigation rules
Commissioning:	Included if performed in a Hunt/Hinckley Service Yard.

Items and specifications are subject to change. Hunt Yachts reserves the right to modify, change or upgrade the specifications to meet quality requirements. Displacement is an estimate. Speeds are estimates and may vary depending on conditions. Capacities for tanks are estimates and useable capacities may vary depending on condition. Items and specifications are indicative only and Hunt Yachts, LLC reserves the right to modify, change or upgrade to meet quality standards