



## 2018 Hunt Center Console 32 – Base Price \$290,000.

### Standard Equipment List

#### Specifications

LOA	32'1"
Beam	10' 6"
Draft (hull/prop)	1' 9" / 2' 6"
Displacement	9,000 lbs. (fully loaded)
Fuel Capacity	235 US Gallons
Water Capacity	29 US Gallons
Top Speed (std pwr)	44 kts.

#### Hull

Solid E-glass bottom laminate  
Closed cell foam-cored topsides  
Vinylester osmosis barrier  
Foam-cored E-glass stringers & bulkheads  
Painted bilge  
Extruded vinyl sheer guard  
Molded interior liner  
Oyster white gel coat hull  
Single boot stripe in choice of color  
Gold cove stripe with Hunt logo

#### Deck

Deck	E-glass fabric with closed cell foam-cored laminate & molded non-skid pattern Oyster white gel coat finish
Swim platform	Armstrong outboard bracket with telescoping swim ladder and composite teak
Anchor locker	Molded into foredeck with hinged hatch
Forward rail	Custom handrail
Chocks	(2) S.S. bow chocks
Cleats	(4) pull-up S.S. 6" cleats & (2) 8" bow cleat
Ensign	Custom teak staff (varnished) with US flag & S.S. socket
Burgee	Custom teak burgee staff (varnished) on bow with Hunt burgee
Lights	LED USCG-approved running lights
Fender pad eyes	(4) Wichard pad eyes (2) port & (2) starboard
Fills	S.S. water, fuel & waste
Rod holders	(4) Stainless steel rod holders
Drink holders	(10) - (6) forward seating, (2) at helm & (2) in leaning post
Foam Core	High density foam core in way of high load hardware

**Console & Leaning Post**

T-Top	Molded T-Top with LED lights, handrail, front and side scratch proof acrylic windows, wiper and washer
Windshield	Custom & contoured
Wiper	Pantograph centerline windshield wiper with freshwater washer
Helm	Fiberglass control console with custom wood steering wheel and varnished teak helm pod. Custom engine-instrument cluster, S.S. drink holder and Stamoid cover
Compass	Ritchie (calibration included)
Electrical outlet	(1) 12V outlet at helm
Footrest	Built-in for helm and companion seats
Switch panel	Circuit-breaker switch panel
Gauges	(2) Tachometers & (1) Speed
Ventilation	(2) Opening portlights with screen in console
Leaning post	Counter, sink, drawers and storage beneath. Optional fishing or entertainment packages

**Interior**

Access	Lockable, sliding companionway door with storage in companion step
Berths	Single berth with choice of Sunbrella fabric and additional rod storage
Counter	Ice box with optional microwave. Storage located under amenities
Head	Shower & sump pump; cold pressure water, molded sink with Corian countertop, electric freshwater toilet with diverter Y-valve & 15-gallon holding tank, towel rack, clothes hooks and mirror
Cabin sole	Durable non-skid
Wood trim	Satin-finish teak bulkhead trim and fiddles
Lighting	Overhead dome light in console, overhead dome light in head, (1) bulkhead reading lamp
Storage	Under berth and counter. Rod storage located outboard

**Cockpit**

Seating	Forward J-shaped cushion with armrests, oversized helm seat with adjustable bolster and adjustable armrests. Aft flip-up seat with hand rail
Covers	Stamoid covers for companion seat, helm console, forward seating & stern seat backrest
Cushions	Custom-stitched, CMI Reflections fabric with choice of contrasting sports stripe in J-seating area
Drainage	Self-bailing cockpit with guttered hatches
Water post	Pressurized freshwater for shower at transom (flushmount) and sink located on leaning post
Rod storage	Lockable rod locker in starboard bow seat
Lighting	(4) LED courtesy bridge deck lights, and LED strip lighting under coaming in cockpit
Fishbox	Insulated 45-gal. in port bow locker, drains directly overboard

**Mechanical & Electrical**

Power	Twin Mercury Verado 250hp four stroke outboards
Propellers	(2) counter-rotating S.S. 4-bladed props
Shorepower	Shorepower inlet with AC panel, 20 amp battery charger, and outlet in the interior
Steering	Power-assisted hydraulic with tilt wheel
Trim tabs	Lectrotab with automatic leveling control
Windlass	Electric windlass with remote helm controls and anchor roller at foredeck
Fuel	(1) 235 Gallon barrier lined cross linked plastic fuel tank
Fuel Filter Housings	Stainless steel
Water	(1) 29 gallon tank with pressure water system
Waste	(1) 12.5 gallon tank

### **Mechanical & Electrical(Continued)**

Bilge pumps	(1) 2,000 GPH aft (automatic) & (1) 2000 GPH forward (automatic), high-water bilge alarm
Batteries	(2) 12-volt marine grade AGM with remote switch
VHF radio	Garmin VHF 110
Electrical outlet	(1) 12V outlet at helm
Horn	Flush-mount 12-volt air horn
Galvanic isolator	For shore-power systems

### **Commissioning Package**

Bottom paint	(2) coats ablative paint
Name & Hailport	Vinyl letters in any color & style
Anchor	14 lb. Delta (stainless steel) with 20' x 1/4" SS chain, 200' x 1/2" rode
Boat gear	(4) 25' x 1/2" braided docklines; (3) fenders 8" x 20" with Polartec covers & 3/8" braided line; (1) boat hook; (1) qt. synthetic engine oil; (1) qt. synthetic gear oil; (1) qt. steering fluid
Safety gear	(4) Type II PFD lifejackets in bag; (1) fire extinguisher; (1) hand-held canister airhorn; (1) throwable floating device (square cushion); (2) plastic whistles; (4) flares; flashlight with batteries; basic first-aid kit; spare fuse kit
Documentation	U.S. Coast Guard Documents

Specifications and Prices subject to change without notice.